

Quality of the Soil, Timber, &c. on the Township Lines.		East Boundary.		South Boundary.		Description of the Land, Timber, &c. on the Interior Sectional Lines.		The figures in this column refer to the Posts numbered in red ink on the Plan.				
								Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
Sec. 36	First 30 ch rolling & creek bottom rich Elm Beech Sugar Walnut Lymn Ironwood W. Wood			Sec. 36	Level rich Beech Walnut Sugar Ironwood Cherry Whiteoak Lymn &c &c	35, 36,	Level 2 <sup>nd</sup> rate W Oak Beech Elm & Hickory last 2 ch low bottom land rich soil subject to inundation	7				
" 25	Level good 2 <sup>nd</sup> rate clay soil Beech Sugar W Oak Elm Maple Ironwood W Wood Ash			" 35	Level 1 <sup>st</sup> rate Walnut Beech Sugar Sycamore Lymn Mulberry Hackberry Beech Sugar Lymn &c	25, 36,	Level 2 <sup>nd</sup> rate W Oak Lymn Hickory Birch and maple last 30 ch incl marshy large Spice Beech &c	8				
" 24	Level rich 1 <sup>st</sup> rate Beech Hickory Ironwood Ironwood Whiteoak W Oak Maple Ironwood W Wood Ash			" 34	First 1/2 mile level rich upland last 1/2 mile rich creek bottom Beech Hackberry Maple Elm &c	25, 26,	Dry level 2 <sup>nd</sup> rate Sycamore rich wet land 2 <sup>nd</sup> rate W Oak rich Hickory Poplar Beech large Spruce	9				
" 13	Level rather wet rich some old windfall grown up with hickory & other trees Beech Maple Sycamore &c			" 33	Mostly creek bottom very rich Beech Hackberry Butternut Walnut Lymn Ironwood Beech &c	24, 25,	First 30 ch incl 2 <sup>nd</sup> rate last 40 ch dry level 2 <sup>nd</sup> rate Timber same	10				
" 12	Level rich W Oak Elm Ironwood Sugar Hickory W Oak Whiteoak Beech, Cherry &c			" 32	Mostly very rich creek bottom Beech Walnut Sycamore Lymn W Oak Butternut &c large Spruce	23, 24,	First 27 ch incl marshy some under level 2 <sup>nd</sup> rate W Oak Ash Lymn Sycamore large Spice &c	11				
" 1	Level 1 <sup>st</sup> rate Beech Sugar Lymn Ironwood Hickory Whiteoak large Spice & Hickory ash			" 31	Gently rolling 1 <sup>st</sup> rate Beech Walnut Oak W Oak Lymn Beech Ironwood Whiteoak Sugar Hickory &c	13, 14,	Level 2 <sup>nd</sup> rate W Oak Beech Sycamore in marsh & ash Lymn & Maple, Coarse prairie grass	12				
						1, 12,	Except marsh gently rolling 2 <sup>nd</sup> rate Oak Poplar Sycamore large Spruce & Ash & Walnut	13				
						1, 2,	Level 2 <sup>nd</sup> rate W Oak Poplar Lymn & Beech large Spice & Beech	14				
						34, 35,	Level and inclined to be not high bank of creek bottom subject to inundation poor 2 <sup>nd</sup> rate	15				
						26, 35,	Level 2 <sup>nd</sup> rate W Oak Ash Beech Sugar Scallum large Beech Ironwood & Spice	16				
						26, 27,	First 40 ch inclined to be not high 30 ch dry level 2 <sup>nd</sup> rate W Oak Ash Lymn & Hickory large Beech &c	17				
						23, 26,	Gently rolling 2 <sup>nd</sup> rate (last 10 ch not land) Oak Ash Elm Beech Lymn Sycamore Poplar &c large Spruce	18				
						22, 23,	Gently rolling 2 <sup>nd</sup> rate (last 10 ch not land) Poplar Ash Beech Walnut Hickory large Spice &c	19				
						14, 23,	Level 2 <sup>nd</sup> rate (first 12 ch marsh) W Oak Beech Lymn Poplar large Beech Maple & Spice	20				
						14, 15,	Level 2 <sup>nd</sup> rate (first 10 ch marsh) W Oak Ash Poplar & Beech no timber growth	21				
						11, 14,	Level 2 <sup>nd</sup> rate (first 20 ch marsh) Timber same large Spice & Spruce & Ash	22				
						10, 11,	Level poor 2 <sup>nd</sup> rate last 15 ch impassable marsh prairie (Timber same & large same)	23				
						2, 11,	Level 2 <sup>nd</sup> rate W Oak Ash Lymn & Maple (in marshy bottom) large Spruce & grass large same	24				
						2, 3,	Level inclined to be not 2 <sup>nd</sup> rate Oak Beech Lymn & Sycamore (in marsh prairie) coarse grass	25				
						33, 34,	Level good 2 <sup>nd</sup> rate W Oak Ash Beech Lymn large Spice Beech & Ironwood	26				
						27, 34,	Gently rolling 2 <sup>nd</sup> rate W Oak Ash Beech & Hickory	27				
						27, 28,	First 30 ch inclined to be not last 15 ch gently rolling good 2 <sup>nd</sup> rate Walnut Poplar &c	28				
						22, 27,	First 40 ch level last 40 ch gently rolling 2 <sup>nd</sup> rate Beech Sugar W Oak W Elm large Spice &c	29				
						21, 22,	First 40 ch same as last mile last 40 ch inclined to be not 2 <sup>nd</sup> rate Maple Ash & Lymn	30				
						15, 22,	Except marsh prairie level 2 <sup>nd</sup> rate good W Oak Ash Lymn & Beech in prairie water down creek	31				
						15, 16,	Except marsh level good 2 <sup>nd</sup> rate open W Oak Ash Poplar Beech & Sycamore large Spice &c	32				
						10, 15,	Level inclined to be not 2 <sup>nd</sup> rate Oak Elm Beech Maple & Hickory large Spruce Ironwood & Spice	33				
						9, 10,	Gently rolling good 2 <sup>nd</sup> rate W Oak Ash Beech Lymn large Spice Beech & Poplar	34				
						3, 10,	Level good 2 <sup>nd</sup> rate W Oak Poplar Beech Lymn & Ironwood large Spice Beech Ironwood & Beech	35				
						3, 4,	First 17 ch good 2 <sup>nd</sup> rate last 41 ch level incl to be not Beech Sugar Poplar & Hickory large same	36				
						32, 33,	Level 2 <sup>nd</sup> rate W Oak Beech & Hickory land from creek to bluff subject to inundation					
						28, 33,	Gently rolling 2 <sup>nd</sup> rate Oak Ash & Beech large Ironwood & Beech					
						28, 29,	Level inclined to be not poor 2 <sup>nd</sup> rate Sugar Ash Lymn Beech & W Elm large Spruce					
						21, 28,	Same Same Same					
						20, 21,	Same					
						16, 21,	Same					
						16, 17,	Level 2 <sup>nd</sup> rate Oak Ash Sycamore & Beech large Beech Spice & Prunus in prairie 2 <sup>nd</sup> rate					
						9, 16,	Same					
						8, 9,	Land poor Oak in place Beech, in marsh prairie poor soil water from 1 to 2 feet deep					
						4, 9,	Low level 2 <sup>nd</sup> rate Poplar Beech Elm & Lymn prairie same water from 1 to 2 feet deep					
						4, 5,	Level inclined to be not 2 <sup>nd</sup> rate Timber same Do Do					
						31, 32,	First 337 ch low bottom land & from bluff to 70 ch level 2 <sup>nd</sup> rate last 10 ch poor wet Timber same					
						29, 32,	Level dry 2 <sup>nd</sup> rate (first 5 ch not land) W Oak Poplar Lymn Beech Birch & Maple					
						30, 31,	Low level 2 <sup>nd</sup> rate (first 5 ch not land) W Oak Ash Hickory W Elm Beech large Spruce &c					
						29, 30,	Level incl to be not poor 2 <sup>nd</sup> rate Sycamore Ash & Beech Maple & Lymn large same					
						20, 29,	Same					
						19, 30,	Same					
						19, 20,	Same					
						17, 20,	Level 2 <sup>nd</sup> rate Beech Maple Hickory and Lymn marsh prairie poor water to 2 feet deep					
						18, 19,	Level 2 <sup>nd</sup> rate last 25 ch gently rolling W Oak Ash Poplar & Beech no large					
						17, 18,	Level poor 2 <sup>nd</sup> rate large Oak Maple & Sycamore no undergrowth					
						8, 17,	Low poor & swampy, Ash Maple Lymn water to 2 feet deep					
						7, 18,	Last 60 ch level 2 <sup>nd</sup> rate (first 20 ch not land) Poplar Lymn & Beech					
						7, 8,	First 1/2 mile dry level 2 <sup>nd</sup> rate last 1/2 mile inclined to be rolling good 2 <sup>nd</sup> rate open timber					
						5, 8,	Level 2 <sup>nd</sup> rate Poplar Lymn & Beech no undergrowth					
						6, 7,	Low inclined to be not poor 2 <sup>nd</sup> rate Oak Elm & Maple					
						5, 6,	Open level 2 <sup>nd</sup> rate W Oak Poplar Beech & Ash Scallum					



## Exterior Section and Quarter Section Corners Described.


Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.	Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
<b>A</b>	Beech	15	S 72° E	59	<b>u</b>				
<b>a</b>	do	12	N 8° E	54	<b>v</b>	Poplar	36	N 32° E	70
<b>B</b>	Beech	16	S 46° E	11	<b>v</b>	Beech	12	S 17° E	62
<b>b</b>	do	10	S 76° W	15	<b>w</b>	Sugar	20	S 68° E	38
<b>C</b>	bottom	10	S 10° W	17	<b>w</b>	Brown	6	N 10° E	03
<b>c</b>	no other near				<b>x</b>	G Oak	10	N 47° E	18
<b>D</b>	Lynn	22	S 36° E	19	<b>x</b>	S Elm	20	S 44° E	70
<b>d</b>	Beech	12	S 61° W	25	<b>y</b>	W Elm	18	S 25° E	25
<b>E</b>	Beech	8	S 17° E	3	<b>y</b>	Beech	10	N 65° E	50
<b>e</b>	W Elm	8	S 45° W	10					
<b>F</b>	Beech	7	S 45° W	10	Interior Section Corners Described.				
<b>f</b>	W Elm	10	S 12° E	54					
<b>G</b>	Beech	12	N 45° W	76	Corners of Sections.				
<b>g</b>	do	15	N 71° E	55					
<b>H</b>	Beech	15	N 21° E	33	25, 26, 35, 36,	Beech	10	S 20° E	11
<b>h</b>	do	12	S 43° W	61	23, 24, 25, 26,	Buckeye	10	N 9° E	18
<b>i</b>	Elm	10	N 70° W	38	13, 14, 23, 24,	S Oak	20	N 64° W	52
<b>I</b>	W Oak	24	S 21° W	43	11, 12, 13, 14,	Bickory	8	N 77° E	32
<b>J</b>	Sugar	15	N 79° E	15	1, 2, 11, 12,	Lynn	12	N 10° E	16
<b>j</b>	Beech	12	S 69° W	33	26, 27, 34, 35,	G Oak	18	S 10° E	31
<b>K</b>	do	12	N 68° W	30	22, 23, 26, 27,	S Oak	8	N 15° E	56
<b>k</b>	W Oak	8	S 55° E	18	14, 15, 22, 23,	R Oak	6	S 12° W	18
<b>L</b>	W Oak	8	N 69° W	12	10, 11, 14, 15,	Beech	18	N 64° E	124
<b>L</b>	W Oak	8	N 69° W	12	2, 3, 10, 11,	Bickory	6	S 44° W	21
<b>M</b>	W Oak	8	N 69° W	12	27, 28, 33, 34,	Sycamore	24	N 57° W	17
<b>m</b>	W Oak	8	N 69° W	12	21, 22, 27, 28,	Beech	20	N 80° E	14
<b>N</b>	W Oak	8	N 69° W	12	15, 16, 21, 22,	Bickory	10	S 79° W	08
<b>n</b>	W Oak	8	N 69° W	12	9, 10, 15, 16,	do	8	N 47° E	20
<b>O</b>	W Oak	8	N 69° W	12	3, 4, 9, 10,	S Elm	8	N 78° W	180
<b>O</b>	W Oak	8	N 69° W	12	28, 29, 32, 33,	B Oak	10	N 46° W	190
<b>P</b>	W Oak	8	N 69° W	12	20, 21, 28, 29,	Maple	12	S 44° E	20
<b>P</b>	W Oak	8	N 69° W	12	16, 17, 20, 21,	S Elm	-	N 10° E	18
<b>Q</b>	W Oak	8	N 69° W	12	8, 9, 16, 17,	S Oak	8	N 80° W	15.00
<b>Q</b>	W Oak	8	N 69° W	12	4, 5, 8, 9,	S Elm	10	S 86° W	44.31
<b>R</b>	W Oak	8	N 69° W	12	29, 30, 31, 32,	Lynn	8	N 55° E	40
<b>R</b>	W Oak	8	N 69° W	12	19, 20, 29, 30,	G Oak	12	S 36° W	28
<b>S</b>	W Oak	8	N 69° W	12	17, 18, 19, 20,	do	8	S 57° E	28
<b>S</b>	W Oak	8	N 69° W	12	7, 8, 17, 18,	B Oak	18	S 68° W	24
<b>T</b>	W Oak	8	N 69° W	12	5, 6, 7, 8,	do	8	N 73° E	10
<b>T</b>	W Oak	8	N 69° W	12		R Oak	22	S 17° W	25
<b>U</b>	W Oak	8	N 69° W	12		do	10	N 64° W	41

## Interior Quarter Section Corners Described.

Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.	Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
<b>M to U at 1</b>	Beech	18	N 76° W	20	<b>P to E at 1</b>	Bickory	24	S 15° W	11
	do	8	East	02		Brown	8	N 87° E	04
<b>2</b>	Beech	12	S 60° E	06	<b>2</b>	B Oak	10	N 30° W	49
	Sugar	24	S 68° W	40		Sycamore	36	S 36° W	50
<b>3</b>	Bickory	20	S 73° W	50	<b>3</b>	G Oak	18	N 49° E	02
	no other tree near					Poplar	-	S 39° W	23
<b>4</b>	Brown	6	S 24° E	14	<b>4</b>	Beech	12	S 86° W	04
	Beech	12	N 20° E	20		Bickory	10	N 71° E	08
<b>5</b>	W Elm	30	N 59° E	44	<b>5</b>	S Oak	10	N 9° E	64
	do	30	S 37° W	27		R Oak	8	N 16° W	79
<b>6</b>	Beech	12	N 68° W	05	<b>6</b>	Elm	10	N 35° W	18
	do	16	S 16° E	10		Bickory	8	S 47° E	21
<b>L to V at 1</b>	Beech	14	S 83° W	43	<b>Q to D at 1</b>	Beech	10	East	12
	do	12	S 34° E	38		do	12	West	34
<b>2</b>	Sycamore	30	N 37° W	27	<b>2</b>	S Oak	8	S 35° E	17
	W Elm	18	S 61° E	28		Bickory	12	N 55° W	49
<b>3</b>	Beech	12	S 1° E	34	<b>3</b>	B Oak	10	S 66° W	05
	do	10	N 68° W	23		do	12	S 66° E	39
<b>4</b>	W Oak	16	S 7° E	28	<b>4</b>	Brown	6	S 42° E	21
	W Elm	30	N 20° E	20		Beech	12	N 40° W	31
<b>5</b>	S Oak	-	S 67° W	16	<b>5</b>	Beech	16	N 6° W	26
	Bickory	-	N 6° E	19		do	14	S 17° E	24
<b>6</b>	Beech	13	N 63° E	32	<b>6</b>	Beech	10	S 6° E	07
	do	16	S 61° W	30		do	12	S 26° W	32
<b>K to W at 1</b>	S Elm	24	S 45° E	12	<b>R to C at 1</b>	Bur Oak	18	S 66° W	21
	Maple	18	N 37° W	39		Cherry	16	S 3° E	17
<b>2</b>	Beech	18	N 21° E	25	<b>2</b>	Beech	18	S 75° W	16
	do	12	S 75° W	11		do	20	N 36° E	26
<b>3</b>	Willow	6	N 31° E	20	<b>3</b>	Poplar	36	N 17° E	27
	do	4	N 10° W	18		Beech	10	S 33° E	21
<b>4</b>	Red Oak	20	S 11° W	17	<b>4</b>	W Elm	24	S 69° W	14
	W Elm	12	N 75° W	58		do	16	N 67° E	20
<b>5</b>	Beech	10	N 42° E	16	<b>5</b>	Red Oak	20	N 61° W	15
	W Elm	-	S 42° W	20		do	16	S 64° W	16
<b>6</b>	Beech	12	N 65° E	07	<b>6</b>	W Oak	24	N 59° E	19
	do	10	N 71° W	33		Brown	8	S 70° W	22
<b>I to X at 1</b>	Sugar	12	N 71° W	19	<b>S to B at 1</b>	Beech	12	S 5° E	39
	Beech	18	S 71° E	12		do	20	N 84° W	14
<b>2</b>	B Oak	24	S 35° E	29	<b>2</b>	Beech	16	N 57° E	85
	B Oak	10	S 15° W	52		do	16	S 27° E	38
<b>3</b>	Beech	22	S 82° E	53	<b>3</b>	S Elm	10	S 34° E	22
	do	24	N 13° W	50		Brown	8	N 30° W	20
<b>4</b>	Beech	10	N 35° W	27	<b>4</b>	S Oak	10	N 39° W	72
	do	10	N 50° E	36		Maple	-	N 80° W	150
<b>5</b>	W Oak	8	N 88° W	195	<b>5</b>	Maple	30	N 8° W	39
	Beech	12	S 87° W	2408		do	12	S 76° W	02
<b>6</b>	Poplar	36	N 17° E	04	<b>6</b>	Beech	10	N 67° W	34
	G Oak	36	S 33° W	08		do	10	S 84° E	35
<b>H to Y at 1</b>	Beech	12	N 12° E	12					
	do	10	S 10° E	10					
<b>2</b>	G Oak	18	N 10° E	36					
	W Oak	24	West	43					
<b>3</b>	W Oak	50	S 61° W	24					
	Brown	8	S 83° W	08					
<b>4</b>	Poplar	36	S 70° E	76					
	W Oak	36	S 20° E	50					
<b>5</b>	Poplar	24	S 66° W	104					
	Beech	16	S 67° E	16					
<b>6</b>	W Elm	14	N 19°						
	S Oak	8	S 70° W	29					
<b>O to F at 1</b>	Elm	8	S 79° E	78					
	Beech	12	N 63° W	33					
<b>2</b>	Beech	12	S 80° W	27					
	do	12	N 79° E	18					
<b>3</b>	Poplar	40	N 10° E	12					
	Beech	12	S 37° E	12					
<b>4</b>	Beech	12	N 70° E	30					
	do	12	N 28° W	04					
<b>5</b>	Beech	10	N 42° W	25					
	Brown	6	S 4° E	25					
<b>6</b>	Beech	18	N 59° E	26					
	do	8	N 77° W	66					



# Township N<sup>o</sup> 24 N. Range N<sup>o</sup> 3 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>.



Surveyed in 1846 by A.E. Van Ness, D.S.

I certify that the above is a true copy of the  
Original plat in this Office,  
Surveyor General's Office,  
Detroit, Nov. 1. 1849.

Lucius Lyon,  
Sur. Gen<sup>l</sup>.



# Township N° 24 N. Range N° 3 E. 2<sup>nd</sup> Mer. Indi.

Revised with letter 28 Feb 47

Meanders of

Post Courses (Ch. Lk.) Posts Courses (Ch. Lk.) Posts Courses (Ch. Lk.)

INDIANA.  
N & E 2 P. M.



Total number of Acres 22,784.52

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys	When Surveyed	When paid for and ch <sup>d</sup> in the Sur. Gen <sup>l</sup> acc <sup>t</sup>
Township lines	John Mullett	July 10 <sup>th</sup> 1846	M. Ch <sup>d</sup> Lks. 12.05.53	1 <sup>st</sup> of 1846	
Subdivisions	A. E. Van Ness	June 8 <sup>th</sup> "	60.07.51	1 <sup>st</sup> of 1846	
W. Boundary of T.	A. S. Vance	May 10 <sup>th</sup> 1858			
See New Survey paid for per S. Office Report N° 452 of 5 <sup>th</sup> Aug. 1847					

The above Map of Township N° 24 North of Range N° 3 East of the 2nd Principal Meridian, Indiana is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office.

Det. July 28<sup>th</sup> 1847

Lucius Lyon

Sur. Gen<sup>l</sup>

IND

35-20